

New Liberty:

For period properties and traditional furnishing styles, the New Liberty cast iron column radiator is the perfect heat emitter. Its scrolled relief patterns and Victorian looks transform the Liberty from humble radiator to stunning reproduction centrepiece, making it unnecessary to hide or conceal the heating system. Liberty is supplied in an attractive Umber grey RAL7022 primer finish, which will complement most colour schemes, although it can also be painted.

It is perfect either for new heating systems or for replacing outdated or antique radiators with the minimum disruption to existing installations

Basic info:

MaterialCast Iron





PressureOperating pressure 6 bar


Colour(s)Umber Grey/ colours

Full details:


Full Spec

[Back top top](#)


		LIB/4/660
		Height 660mm
		Width 328mm
		Depth 203mm
		Output 563 watts
		LIB/5/660
		Height 660mm
		Width 404mm
		Depth 203mm
		Output 703 watts
		LIB/6/660
		Height 660mm
		Width 480mm
		Depth 203mm
		Output 844 watts

**LIB/7/660**


Height	660mm
Width	556mm
Depth	203mm
Output	984 watts

**LIB/8/660**


Height	660mm
Width	632mm
Depth	203mm
Output	1125 watts

**LIB/9/660**


Height	660mm
Width	708mm
Depth	203mm
Output	1266 watts

**LIB/10/660**


Height	660mm
Width	784mm
Depth	203mm
Output	1406 watts

**LIB/11/660**


Height	660mm
Width	860mm
Depth	203mm
Output	1547 watts

**LIB/12/660**


Height	660mm
Width	936mm
Depth	203mm
Output	1688 watts

**LIB/13/660**



Height	660mm
Width	1012mm
Depth	203mm
Output	1828 watts

**LIB/14/660**


Height	660mm
Width	1088mm
Depth	203mm
Output	1969 watts

**LIB/15/660**


Height	660mm
Width	1164mm
Depth	203mm
Output	2110 watts

**LIB/4/760**


Height	760mm
Width	328mm
Depth	203mm
Output	613 watts

**LIB/5/760**


Height	760mm
Width	404mm
Depth	203mm
Output	767 watts

**LIB/6/760**


Height	760mm
Width	480mm
Depth	203mm
Output	920 watts

**LIB/7/760**


Height	760mm
Width	556mm
Depth	203mm
Output	1073 watts

**LIB/8/760**


Height	760mm
Width	632mm
Depth	203mm
Output	1226 watts




LIB/9/760	
Height	760mm
Width	708mm
Depth	203mm
Output	1380 watts




LIB/10/760	
Height	760mm
Width	784mm
Depth	203mm
Output	1533 watts




LIB/11/760	
Height	760mm
Width	860mm
Depth	203mm
Output	1686 watts




LIB/12/760	
Height	760mm
Width	936mm
Depth	203mm
Output	1840 watts





LIB/13/760	
Height	760mm
Width	1012mm
Depth	203mm
Output	1993 watts



LIB/14/760	
Height	760mm
Width	1088mm
Depth	203mm
Output	2146 watts




LIB/15/760	
Height	760mm
Width	1164mm
Depth	203mm
Output	2300 watts




LIB/4/954

Height	954mm
Width	328mm
Depth	203mm
Output	765 watts




LIB/5/954

Height	954mm
Width	404mm
Depth	203mm
Output	957 watts




LIB/6/954

Height	954mm
Width	480mm
Depth	203mm
Output	1148 watts




LIB/7/954

Height	954mm
Width	556mm
Depth	203mm
Output	1339 watts




LIB/8/954


Height	954mm
Width	632mm
Depth	203mm
Output	1531 watts

**LIB/9/954**


Height	954mm
Width	708mm
Depth	203mm
Output	1722 watts

**LIB/10/954**


Height	954mm
Width	784mm
Depth	203mm
Output	1913 watts

**LIB/11/954**


Height	954mm
Width	860mm
Depth	203mm
Output	2104 watts

**LIB/12/954**


Height	954mm
Width	936mm
Depth	203mm
Output	2296 watts

**LIB/13/954**

Height	954mm
Width	1012mm
Depth	203mm
Output	2487 watts

**LIB/14/954**

Height	954mm
Width	1088mm
Depth	203mm
Output	2678 watts

**LIB/15/954**

Height	954mm
Width	1164mm
Depth	203mm
Output	2870 watts

Other details:

Other Details

[Back top top](#)

MaterialCast iron

PressureMax operating pressure no more than 6Bar

DeliveryUmber grey RAL7022: all sizes usually in stock at the manufacturers. Colours: Please allow 3 weeks

ConnectionsEach radiator is supplied complete with plugs, bushes and vents with a choice of 1/2" BSP, 3/4" BSP or 1" BSP connections.

Dimm Note

ValvesRecommended valves are: [Chartwell](#), [Belgravia](#), [Minimal](#) or choose from our wide selection

ElectricalN/A

MountingFloor standing with wall ties

Guarantee10 years against manufacturing defects.