

Flex:

A fantastic “off the wall” design, cleverly engineered for maximum efficiency and stunning in appearance

Basic info:

Material Aluminium

Pressure FWP (max) 5 bar (test 7.5 bar)


Colour(s) MHS colours

(Polished aluminium finish is now discontinued)


Full details:

Full Spec

[Back top top](#)



F1500/400	
Height	1495mm
Width	397mm
Depth	87mm
Output	968 watts




F1500/500	
Height	1495mm
Width	497mm
Depth	87mm
Output	1178 watts




F1800/300

Height	1795mm
Width	297mm
Depth	87mm
Output	844 watts




F1800/400

Height	1795mm
Width	397mm
Depth	87mm
Output	1125 watts




F1800/500

Height	1795mm
Width	497mm
Depth	87mm
Output	1406 watts




F1800/600

Height	1795mm
Width	597mm
Depth	87mm
Output	1688 watts



F2100/400	
Height	2095mm
Width	397mm
Depth	87mm
Output	1318 watts



F2100/400	
Height	2095mm
Width	497mm
Depth	87mm
Output	1647 watts

Other details:

Other Details

[Back top top](#)

Material Manufactured from aluminium

Pressure FWP (max) 5 bar (test 7.5 bar)

Delivery Colours & satin: Please allow 7 weeks.

Connections 1/2" BSP

Dimm Note Distance from front face to wall: 127mm

Valves Choose from our wide selection

Electrical N/A

Mounting Wall.

Guarantee 10 Years
